



Product Name	Vendor code	Pieces per box	Photo
Modern / Surface			
Surface mounted light Color: white For bulb base: GU10 Size, mm: D80*H100 Maximum lamp power, W: 50W The angle of rotation: no	21300	30	
Surface mounted light Color: black For bulb base: GU10 Size, mm: D80*H100 Maximum lamp power, W: 50W The angle of rotation: no	21301	30	
Surface mounted light Color: white For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: no	21310	50	
Surface mounted light Color: black For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: no	21311	50	
Pendant light Color: white For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: no	21320	50	
Pendant light Color: black For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: no	21321	50	
Surface mounted turning light Color: white For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: 90°	21330	50	
Surface mounted turning light Color: black For bulb base: GU10 Size, mm: D55*H100 Maximum lamp power, W: 35W The angle of rotation: 90°	21331	50	
Surface mounted light Color: white For bulb base: GX53 Size, mm: D85*H80 Maximum lamp power, W: 17W The angle of rotation: no	21001		
Surface mounted light Color: black For bulb base: GX53 Size, mm: D85*H80 Maximum lamp power, W: 17W The angle of rotation: no	21002		
Surface mounted light Color: black For bulb base: GX53 Size, mm: D82*H60 Maximum lamp power, W: 17W The angle of rotation: no	21003		

Product Name	Vendor code	Pieces per box	Photo
Surface mounted light Color: white For bulb base: GX53 Size, mm: D82*H60 Maximum lamp power, W: 17W The angle of rotation: no	21004		
Surface mounted turning light Color: white For bulb base: GX53 Size, mm: D82*H80 Maximum lamp power, W: 17W The angle of rotation: 90°	21005		
Surface mounted turning light Color: black For bulb base: GX53 Size, mm: D82*H80 Maximum lamp power, W: 17W The angle of rotation: 90°	21006		
Surface mounted light Color: white + gold For bulb base: GX53 Size, mm: D90*H53 Maximum lamp power, W: 17W The angle of rotation: no	21007		
Surface mounted light Color: black + gold For bulb base: GX53 Size, mm: D90*H53 Maximum lamp power, W: 17W The angle of rotation: no	21008		
Prime / Recessed			
Recessed light Color: chrome Material: steel For bulb base: GU5.3 Size, mm: D80*H30 Maximum lamp power, W: 35W The angle of rotation: no	21200	100	 
Recessed light Color: white Material: steel For bulb base: GU5.3 Size, mm: D80*H30 Maximum lamp power, W: 35W The angle of rotation: no	21201	100	 
Recessed light Color: satin-nickel Material: steel For bulb base: GU5.3 Size, mm: D80*H30 Maximum lamp power, W: 35W The angle of rotation: no	21202	100	 
Recessed light Color: copper Material: steel For bulb base: GU5.3 Size, mm: D80*H30 Maximum lamp power, W: 35W The angle of rotation: no	21203	100	 
Recessed light Color: chrome Material: steel For bulb base: GU5.3 Size, mm: D90*H28 Maximum lamp power, W: 35W The angle of rotation: 30°	21210	100	 
Recessed light Color: white Material: steel For bulb base: GU5.3 Size, mm: D90*H28 Maximum lamp power, W: 35W The angle of rotation: 30°	21211	100	 
Recessed light Color: satin-nickel Material: steel For bulb base: GU5.3 Size, mm: D90*H28 Maximum lamp power, W: 35W The angle of rotation: 30°	21212	100	 

Basic / Recessed

LED Light ultra-thin 5W

Light temperature: 4000K
Luminous, Lm: 600
Color: white
Material: aluminum
Size, mm: $\varnothing$ 100 Hole size, mm: $\varnothing$ 75-80

10460

100



LED Light ultra-thin 8W

Light temperature: 4000K
Luminous, Lm: 1000
Color: white
Material: aluminum
Size, mm: $\varnothing$ 120 Hole size, mm: $\varnothing$ 90-100

10461

100



LED Light ultra-thin 11W

Light temperature: 4000K
Luminous, Lm: 1400
Color: white
Material: aluminum
Size, mm: $\varnothing$ 145 Hole size, mm: $\varnothing$ 112-130

10462

60



LED Light ultra-thin 18W

Light temperature: 4000K
Luminous, Lm: 1800
Color: white
Material: aluminum
Size, mm: $\varnothing$ 185 Hole size, mm: $\varnothing$ 140

10463

60



LED Light ultra-thin 25W

Light temperature: 4000K
Luminous, Lm: 2400
Color: white
Material: aluminum
Size, mm: $\varnothing$ 230 Hole size, mm: $\varnothing$ 190

10464

40



LED Light ultra-thin 8W

Light temperature: 4000K
Luminous, Lm: 1000
Color: black
Material: aluminum
Size, mm: $\varnothing$ 120 Hole size, mm: $\varnothing$ 90-100

10471

100



LED Light ultra-thin 11W

Light temperature: 4000K
Luminous, Lm: 1400
Color: black
Material: aluminum
Size, mm: $\varnothing$ 145 Hole size, mm: $\varnothing$ 112-130

10472

60



Spot / Recessed

LED directional light 3W

Light temperature: 4000K
Luminous, Lm: 240
Color: white
Material: plastic
Size, mm: $\varnothing$ 70 Hole size, mm: $\varnothing$ 55
The angle of rotation: 40°

10515

100



LED directional light 5W

Light temperature: 4000K
Luminous, Lm: 400
Color: white
Material: plastic
Size, mm: $\varnothing$ 90 Hole size, mm: $\varnothing$ 80
The angle of rotation: 40°

10516

100



LED directional light 7W

Light temperature: 4000K
Luminous, Lm: 560
Color: white
Material: plastic
Size, mm: $\varnothing$ 115 Hole size, mm: $\varnothing$ 88
The angle of rotation: 40°

10517

100



LED directional light 5W

Light temperature: 4000K
Luminous, Lm: 360
Color: black
Material: plastic
Size, mm: $\varnothing$ 94 Hole size, mm: $\varnothing$ 68
The angle of rotation: 40°

10518

100





LED directional light 3W







Light temperature: 4000K
Luminous, Lm: 240
Color: white
Material: plastic
Size, mm: 75*75 Hole size, mm: $\varnothing$ 50
The angle of rotation: 40°










10551




100






Product Name	Vendor code	Pieces per box	Photo	
LED directional light 5W Light temperature: 4000K Luminous, Lm: 400 Color: white Material: plastic Size, mm: 90*90 Hole size, mm: ø80 The angle of rotation: 40°	10519	100		
LED directional light 12W Light temperature: 4000K Luminous, Lm: 960 Color: white Material: plastic Size, mm: 140*140 Hole size, mm: ø114 The angle of rotation: 40°	10554	50		
Moon / Recessed				
LED Light with adjustable fixtures 10W Light temperature: 4000K Luminous, Lm: 1000 Beam angle 180° Material: aluminum / plastic Size, mm: ø100 Hole size, mm: ø60-80	10931	100		
LED Light with adjustable fixtures 15W Light temperature: 4000K Luminous, Lm: 1500 Beam angle 180° Material: aluminum / plastic Size, mm: ø120 Hole size, mm: ø60-100	10932	60		
LED Light with adjustable fixtures 10W Light temperature: 4000K Luminous, Lm: 1000 Beam angle 180° Material: aluminum / plastic Size, mm: 100*100 Hole size, mm: ø60-80	10941	100		
LED Light with adjustable fixtures 15W Light temperature: 4000K Luminous, Lm: 1500 Beam angle 180° Material: aluminum / plastic Size, mm: 120*120 Hole size, mm: ø60-100	10942	60		
Light Premium / Recessed / 3 year warranty				
LED Light with built-in driver 8W Light temperature: 4000K Luminous, Lm: 640 Material: plastic Size, mm: ø100 Hole size, mm: ø65-85	10721	45		
LED Light with built-in driver 12W Light temperature: 4000K Luminous, Lm: 1080 Material: plastic Size, mm: ø130 Hole size, mm: ø95	10722	36		
LED Light with built-in driver 18W Light temperature: 4000K Luminous, Lm: 1620 Material: plastic Size, mm: ø175 Hole size, mm: ø155	10723	20		
LED Light with built-in driver 22W Light temperature: 4000K Luminous, Lm: 1980 Material: plastic Size, mm: ø220 Hole size, mm: ø195	10724	20		
LED Light with built-in driver 8W Light temperature: 3000K Luminous, Lm: 640 Material: plastic Size, mm: ø100 Hole size, mm: ø65-85	10731	45		





Product Name	Vendor code	Pieces per box	Photo	
LED Light with built-in driver 12W Light temperature: 3000K Luminous, Lm: 1080 Material: plastic Size, mm: ø130 Hole size, mm: ø95	10732	36		
LED Light with built-in driver 18W Light temperature: 3000K Luminous, Lm: 1620 Material: plastic Size, mm: ø175 Hole size, mm: ø155	10733	20		
LED Light with built-in driver 6W Light temperature: 4000K Luminous, Lm: 540 Material: plastic Size, mm: 100*100 Hole size, mm: ø85	10751	40		
LED Light with built-in driver 12W Light temperature: 4000K Luminous, Lm: 1080 Material: plastic Size, mm: 130*130 Hole size, mm: ø95	10752	20		
LED Light with built-in driver 18W Light temperature: 4000K Luminous, Lm: 1620 Material: plastic Size, mm: 175*175 Hole size, mm: ø155	10753	20		
LED Light with built-in driver 22W Light temperature: 4000K Luminous, Lm: 1980 Material: plastic Size, mm: 220*220 Hole size, mm: ø200	10754	20		
Clip - on / Universal mounting				
LED Light of universal mounting 6W Light temperature: 4000K Luminous, Lm: 470 Material: plastic Adjustable fixtures Size, mm: ø140 Hole size, mm: ø55-100	10801	60		
LED Light of universal mounting 12W Light temperature: 4000K Luminous, Lm: 1060 Material: plastic Adjustable fixtures Size, mm: ø165 Hole size, mm: ø55-125	10802	40		
LED Light of universal mounting 18W Light temperature: 4000K Luminous, Lm: 1650 Material: plastic Adjustable fixtures Size, mm: ø217 Hole size, mm: ø55-175	10803	20		
LED Light of universal mounting 24W Light temperature: 4000K Luminous, Lm: 2300 Material: plastic Adjustable fixtures Size, mm: ø279 Hole size, mm: ø60-260	10804	10		
LED Light of universal mounting 6W Light temperature: 4000K Luminous, Lm: 450 Material: plastic Adjustable fixtures Size, mm: 104*104 Hole size, mm: ø55-90	10851	60		
LED Light of universal mounting12W Light temperature: 4000K Luminous, Lm: 1060 Material: plastic Adjustable fixtures Size, mm: 165*165 Hole size, mm: ø55-125	10852	40		



Product Name	Vendor code	Pieces per box	Photo	
LED Light of universal mounting 18W Light temperature: 4000K Luminous, Lm: 1560 Material: plastic Adjustable fixtures Size, mm: 205*205 Hole size, mm: ø60-185	10853	20		
LED Light of universal mounting 24W Light temperature: 4000K Luminous, Lm: 2300 Material: plastic Adjustable fixtures Size, mm: 290*290 Hole size, mm: ø60-250	10854	10		
Clip - on premium / Universal mounting				
LED Light of universal mounting dimmable 12W Light temperature: 4000K Luminous, Lm: 1050 Material: plastic Adjustable fixtures Size, mm: ø165 Hole size, mm: ø55-125	10832			
Decorative magnetic cover for lamp Color: matt black Material: metal Size, mm: ø165	832-b	40		
Decorative magnetic cover for lamp Color: glossy chrome Material: metal Size, mm: ø165	832-ch	40		
Decorative magnetic cover for lamp Color: satin-nickel Material: metal Size, mm: ø165	832-sn	40		
LED Light of universal mounting dimmable 18W Light temperature: 4000K Luminous, Lm: 1530 Material: plastic Adjustable fixtures Size, mm: ø217 Hole size, mm: ø55-175	10833	20		
Decorative magnetic cover for lamp Color: matt black Material: metal Size, mm: ø217	833-b	20		
Decorative magnetic cover for lamp Color: glossy chrome Material: metal Size, mm: ø217	833-ch	20		
Decorative magnetic cover for lamp Color: satin-nickel Material: metal Size, mm: ø217	833-sn	20		

Product Name	Vendor code	Pieces per box	Photo	
Color				
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: blue Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10202	40		
LED Light with decorative colour illumination 12+4W Light temperature: 4000K Side lighting: blue Luminous, Lm: 840 Material: aluminum / plastic Size, mm: ø195 Hole size, mm: ø155	10203	20		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: red Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10206	40		
LED Light with decorative colour illumination 3+2W Light temperature: 4000K Side lighting: green Luminous, Lm: 150 Material: aluminum / plastic Size, mm: ø105 Hole size, mm: ø75	10209	60		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: green Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10210	40		
LED Light with decorative colour illumination 3+2W Light temperature: 4000K Side lighting: white Luminous, Lm: 150 Material: aluminum / plastic Size, mm: ø105 Hole size, mm: ø75	10217	60		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: pink Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10214	40		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: yellow Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10222	40		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: blue Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10252	40		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: pink Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10264	40		
LED Light with decorative colour illumination 6+3W Light temperature: 4000K Side lighting: white Luminous, Lm: 360 Material: aluminum / plastic Size, mm: ø145 Hole size, mm: ø110	10268	40		




Product Name	Vendor code	Pieces per box	Photo
Line / Surface			
LED Light T5 6W Light temperature: 4000K Luminous, Lm: 480 Color: white Material: plastic Size, mm: 280	10406	50	 
LED Light T5 10W Light temperature: 4000K Luminous, Lm: 840 Color: white Material: plastic Size, mm: 575	10408	50	 
LED Light T5 16W Light temperature: 4000K Luminous, Lm: 1380 Color: white Material: plastic Size, mm: 870	10410	50	 
LED Light T5 22W Light temperature: 4000K Luminous, Lm: 1780 Color: white Material: plastic Size, mm: 1170	10414	50	 
Plug cable for T5 LED lamp 1.2 m	18003	177	
City / Surface			
LED Light linear 18W Light temperature: 4000K Luminous, Lm: 1530 Color: white Material: plastic Size, mm: 600*45 IP65	11001	20	 
LED Light linear 36W Light temperature: 4000K Luminous, Lm: 3060 Color: white Material: plastic Size, mm: 1160*45 IP65	11002	20	 
LED Light linear 70W Light temperature: 4000K Luminous, Lm: 5600 Color: white Material: plastic Size, mm: 1503 IP65	11042	10	 
City Link/ Surface			
LED Light linear linkable 18W Light temperature: 4000K Luminous, Lm: 1800 Color: white Material: plastic Size, mm: 590*60 IP65	11018	20	 
LED Light linear linkable 36W Light temperature: 4000K Luminous, Lm: 3600 Color: white Material: plastic Size, mm: 1190*60 IP65	11019	20	 
Urban / Surface			
LED Light linear 18W Light temperature: 4000K Luminous, Lm: 1550 Material: metal Diffuser is mechanical damage proof Size, mm: 600*75	10632		 








Product Name	Vendor code	Pieces per box	Photo
LED Light linear 36W Light temperature: 4000K Luminous, Lm: 2880 Material: metal Diffuser is mechanical damage proof Size, mm: 1200*75	10607 / 10633		
LED Light linear 18W Light temperature: 6500K Luminous, Lm: 1550 Material: metal Diffuser is mechanical damage proof Size, mm: 600*75	10604 / 10634		
LED Light linear 36W Light temperature: 6500K Luminous, Lm: 2880 Material: metal Diffuser is mechanical damage proof Size, mm: 1200*75	10603 / 10635		
Button / Surface			
LED Light 8W Light temperature: 6000K Luminous, Lm: 600 Material: plastic Size, mm: ø140 IP54	11104	40	
LED Light 8W Light temperature: 4000K Luminous, Lm: 600 Material: plastic Size, mm: ø140 IP54	11107	40	
LED Light 8W with acoustic sensor and light sensor Light temperature: 4000K Luminous, Lm: 600 Material: plastic Size, mm: ø140 IP54	11106	40	
LED Light 8W with PIR sensor Light temperature: 4000K Luminous, Lm: 600 Material: plastic Size, mm: ø140 IP54	11108	40	
LED Light 8W with acoustic sensor Light temperature: 4000K Luminous, Lm: 600 Material: plastic Size, mm: ø140 IP54	11109	40	
LED Light 12W Light temperature: 4000K Luminous, Lm: 900 Material: plastic Size, mm: ø170 IP54	11110	20	
LED Light 12W Light temperature: 6000K Luminous, Lm: 900 Material: plastic Size, mm: ø170 IP54	11117	30	
LED Light 8W Light temperature: 4000K Luminous, Lm: 600 Material: plastic Size, mm: 160*90 IP54	11111	32	
LED Light 12W Light temperature: 4000K Luminous, Lm: 900 Material: plastic Size, mm: 205*105 IP54	11115	32	

Product Name	Vendor code	Pieces per box	Photo	
LED Light 12W Light temperature: 6000K Luminous, Lm: 900 Material: plastic Size, mm: 205*105 IP54	11116	20		
Power Plus				
LED floodlight 10W Light temperature: 4000K Luminous, Lm: 800 Color: black Material: aluminum Size, mm: 111*98 IP65	13004	60		
LED floodlight 10W Light temperature: 6500K Luminous, Lm: 800 Color: black Material: aluminum Size, mm: 111*98 IP65	13010	60		
LED floodlight 10W Light temperature: 6500K Luminous, Lm: 800 Color: white Material: aluminum Size, mm: 111*98 IP65	13110	60		
LED floodlight 20W Light temperature: 6500K Luminous, Lm: 1600 Color: black Material: aluminum Size, mm: 133*123 IP65	13020	40		
LED floodlight 20W Light temperature: 6500K Luminous, Lm: 1600 Color: white Material: aluminum Size, mm: 133*123 IP65	13120	40		
LED floodlight 30W Light temperature: 6500K Luminous, Lm: 2400 Color: black Material: aluminum Size, mm: 168*114 IP65	13014	20		
LED floodlight 30W with motion sensor and light sensor (Sensor IP44) Light temperature: 6500K Luminous, Lm: 2400 Color: black Material: aluminum Size, mm: 168*196	13203	20		
LED floodlight 50W Light temperature: 6500K Luminous, Lm: 4000 Color: black Material: aluminum Size, mm: 207*133 IP65	13050	20		
LED floodlight 50W Light temperature: 6500K Luminous, Lm: 4000 Color: white Material: aluminum Size, mm: 207*133 IP65	13150	20		
LED floodlight 70W Light temperature: 6500K Luminous, Lm: 5600 Color: black Material: aluminum Size, mm: 230*194 IP65	13070	20		
LED floodlight 100W Light temperature: 6500K Luminous, Lm: 8000 Color: black Material: aluminum Size, mm: 283*222 IP65	13100	10		

Product Name	Vendor code	Pieces per box	Photo
Standard			
LED strip light 4,8W/m-12V Light temperature: 4000K Luminous, Lm: 500 Diode type: SMD 2835 Quantity of diodes (pcs/m): 60D	16003	100	
LED strip light 4,8W/m-12V Light temperature: 6000K Luminous, Lm: 500 Diode type: SMD 2835 Quantity of diodes (pcs/m): 60D	16004	100	
LED strip light 9,6W/m-12V Light temperature: 3000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16015	100	
LED strip light 9,6W/m-12V Light temperature: 4000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16005	100	
LED strip light 9,6W/m-12V Light temperature: 6000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16006	100	
LED strip light 19,2W/m-12V Light temperature: 3000K Luminous, Lm: 2000 Diode type: SMD 2835 Quantity of diodes (pcs/m): 240D	16016	100	
LED strip light 19,2W/m-12V Light temperature: 4000K Luminous, Lm: 2000 Diode type: SMD 2835 Quantity of diodes (pcs/m): 240D	16007	100	
LED strip light 19,2W/m-12V Light temperature: 6000K Luminous, Lm: 2000 Diode type: SMD 2835 Quantity of diodes (pcs/m): 240D	16008	100	
LED strip light 14,4W/m-12V Light temperature: 4000K Luminous, Lm: 660 Diode type: SMD 5050 Quantity of diodes (pcs/m): 60D	16030	100	
LED strip light 14,4W/m-12V Light temperature: 6000K Luminous, Lm: 660 Diode type: SMD 5050 Quantity of diodes (pcs/m): 60D	16031	100	
LED strip light 14,4W/m-12V Light temperature: RGB Diode type: SMD 5050 Quantity of diodes (pcs/m): 60D	16032	100	
LED strip light 14,4W/m-12V-5054 Light temperature: 4000K Luminous, Lm: 650 Diode type: SMD 5054 Quantity of diodes (pcs/m): 60D	16034	100	

Product Name	Vendor code	Pieces per box	Photo
LED strip light 14,4W/m-12V-5054 Light temperature: 6000K Luminous, Lm: 650 Diode type: SMD 5054 Quantity of diodes (pcs/m): 60D	16035	100	
LED strip light 9,6W/m-24V Light temperature: 3000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16517	100	
LED strip light 9,6W/m-24V Light temperature: 4000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16518	100	
LED strip light 9,6W/m-24V Light temperature: 6000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D	16519	100	
LED strip light 14,4W/m-24V Light temperature: 3000K Luminous, Lm: 1440 Diode type: SMD 2835 Quantity of diodes (pcs/m): 180D	16520	100	
LED strip light 14,4W/m-24V Light temperature: 4000K Luminous, Lm: 1440 Diode type: SMD 2835 Quantity of diodes (pcs/m): 180D	16521	100	
LED strip light 14,4W/m-24V Light temperature: 6000K Luminous, Lm: 1440 Diode type: SMD 2835 Quantity of diodes (pcs/m): 180D	16522	100	
LED strip light 19,2W/m-24V Light temperature: 4000K Luminous, Lm: 2000 Diode type: SMD 2835 Quantity of diodes (pcs/m): 240D	16507	100	
LED strip light 19,2W/m-24V Light temperature: 6000K Luminous, Lm: 2000 Diode type: SMD 2835 Quantity of diodes (pcs/m): 240D	16508	100	
Street			
LED strip light 4,8W/m-12V Light temperature: 6000K Luminous, Lm: 500 Diode type: SMD 2835 Quantity of diodes (pcs/m): 60D IP65	16010	100	
LED strip light 14,4W/m-12V Light temperature: RGB Diode type: SMD 5050 Quantity of diodes (pcs/m): 60D IP65	16033	100	
LED strip light 9,6W/m-12V Light temperature: 4000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D IP65	16011	100	

Product Name	Vendor code	Pieces per box	Photo
LED strip light 9,6W/m-12V Light temperature: 6000K Luminous, Lm: 950 Diode type: SMD 2835 Quantity of diodes (pcs/m): 120D IP65	16012	100	
Facade			
LED strip light 7W/m-220V Light temperature: 6000K Luminous, Lm: 600 Diode type: SMD 4040 Quantity of diodes (pcs/m): 100D IP65	20001	1	 
LED strip light 9W/m-220V Light temperature: 6000K Luminous, Lm: 700 Diode type: SMD 4040 Quantity of diodes (pcs/m): 120D IP65	20002	1	 
Silicon fixing snap for LED strip light 220V	20101	\	
Silicon blind cap for LED strip light 220V	20102	\	
Plug cable for LED strip light 220V-4040-100D	18004	\	
Plug cable for LED strip light 220V-4040-120D	18005	\	
Block Normal			
LED power supply 24W-12V Material: aluminum Size, mm: 85*58*34 Without a cooler	17009 / 17010	100	
LED power supply 60W-12V Material: aluminum Size, mm: 110*78*34 Without a cooler	17008 / 17011	60	
Block Pencil			
LED power supply 36W-12V Material: aluminum Size, mm: 282*18*18 Without a cooler	17022 / 17024	200	
LED power supply 60W-12V Material: aluminum Size, mm: 312*18*18 Without a cooler	17023 / 17025	100	
Block Mini			
LED power supply 60W-12V Material: aluminum Size, mm: 145*53*21 Without a cooler	17049	100	
LED power supply 100W-12V Material: aluminum Size, mm: 168*53*21 Without a cooler	17047	100	

Product Name	Vendor code	Pieces per box	Photo
LED power supply 150W-12V Material: aluminum Size, mm: 234*53*22 Without a cooler	17050 / 17055	80	
LED power supply 200W-12V Material: aluminum Size, mm: 308*53*22 Without a cooler	17051 / 17056	60	
LED power supply 300W-12V Material: aluminum Size, mm: 308*53*22 Without a cooler	17052 / 17057	50	
LED power supply 150W-24V Material: aluminum Size, mm: 234*53*22 Without a cooler	17542	80	
LED power supply 200W-24V Material: aluminum Size, mm: 307*53*22 Without a cooler	17543	60	
LED power supply 300W-24V Material: aluminum Size, mm: 308*53*22 Without a cooler	17549	50	
Dimmers / Controllers			
Controller for RGB LED strip light with remote control 12-24V, 6A	22003	250	
Controller for RGB LED strip light with white remote control 12-24V, 18A	22001	50	
Controller for RGB LED strip light with black remote control 12-24V, 18A	22002	50	
Dimmer for LED strip light with remote control 12-24V, 6A	22004	250	
Dimmer for LED strip light with remote control 12-24V, 18A	22005	50	

Product Name	Vendor code	Pieces per box	Photo
Profile and accessories			
Surface mounted profile 1607 with diffuser, aluminum, silver, anodized 2m	19001	100	
Cap for aluminum surface profile 1607, white	19011-Z	300	
Mounting clip of stainless steel for Surface mounted profile 1607.	19012-K	300	
Corner profile 1616 with diffuser, aluminum, silver, anodized 2m	19002	100	
Cap for corner aluminum profile 1616, white	19021-Z	300	
Mounting clip of stainless steel for corner aluminum profile 1616	19022-K	300	
Cutting-in profile with diffuser 2207 aluminum, silver, anodized 2m	19003	100	
Cap for cutting-in aluminum profile 2207, white	19031-Z	300	